

NORSEKEM LIMITED, UNIT 6c, STOKES FARM,  
BINFIELD ROAD, WOKINGHAM, BERKS, RG40 5PR  
TEL: 01189 899729 FAX: 01189 791927  
sales@norsekem.co.uk www.norsekem.co.uk

Page 1/7

**Fill'n'Rub (Grey)**

Revision 1

Revision date Sept 15

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

1.1. Product identifier

Product name	Fill'n'Rub (Grey)
--------------	-------------------

1.2. Relevant identified uses of the substance or mixture and uses advised against

Description	Cementitious repair mortar
-------------	----------------------------

1.3. Details of the supplier of the safety data sheet

Company	Norsekem Limited
Address	Unit 6c Stokes Farm Binfield Road Wokingham RG40 5PR United Kingdom
Web	<a href="http://www.norsekem.co.uk">www.norsekem.co.uk</a>
Telephone	+44 (0)845 402 7662
Email address of the competent person	<a href="mailto:safety@norsekem.co.uk">safety@norsekem.co.uk</a>

1.4. Emergency telephone number


Emergency telephone number	+44 (0)118 989 9729 9.00 am - 5.00 pm (GMT) Mon - Fri
----------------------------	--

**SECTION 2: Hazards identification**

2.1. Classification of the substance or mixture

2.1.1. Classification - 1999/45/E C	Xi; R37/38-41-43 Symbols: Xi: Irritant.
Main hazards	Irritating to respiratory system and skin. Risk of serious damage to eyes. May cause sensitisation by skin contact.
2.1.2. Classification - EC 1272/2008	Skin Corr. 1A: H314; Skin Sens. 1: H317; STOT SE 3: H335;

2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Skin Sens. 1: H317 - May cause an allergic skin reaction. STOT SE 3: H335 - May cause respiratory irritation.
Precautionary Statement: Prevention	P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P264 - Wash thoroughly after handling.

## Fill'n'Rub (Grey)

Revision 1

Revision date Sept 15

## 2.2. Label elements

Precautionary Statement: Response	P271 - Use only outdoors or in a well-ventilated area. P272 - Contaminated work clothing should not be allowed out of the workplace. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
	P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P302+P352 - IF ON SKIN: Wash with plenty of water. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 - Immediately call a POISON CENTER/doctor. P312 - Call a POISON CENTER/doctor if you feel unwell. P321 - Specific treatment (see on this label). P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P363 - Wash contaminated clothing before reuse.
Precautionary Statement: Storage	P403+P233 - Store in a well-ventilated place. Keep container tightly closed. P405 - Store locked up.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to

## 2.3. Other hazards

Other hazards	No Significant Hazard.
---------------	------------------------

## SECTION 3: Composition/information on ingredients

## 3.1. Substances

	Not applicable.
--	-----------------

## 3.2. Mixtures

67/548/EEC / 1999/45/EC

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Quartz Sand		14808-60-7	238-878-4		50 - 60%		
Portland Cement Clinker		65997-15-1	266-043-4		30 - 40%	Xi; R37/38-41-43	
Dolomite		16389-88-1	240-440-2		1 - 10%		
Fly Ash					1 - 10%		
Sodium nitrite	007-010-00-4	7632-00-0	231-555-9	01-2119471836-27	0.5 - 1%	O; R8 T; R25 N; R50	

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification	M-factor.
Quartz Sand		14808-60-7	238-878-4		50 - 60%		
Portland Cement Clinker		65997-15-1	266-043-4		30 - 40%	EUH203; Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Dam. 1: H318; STOT SE 3: H335;	
Dolomite		16389-88-1	240-440-2		1 - 10%		
Fly Ash					1 - 10%		
Sodium nitrite	007-010-00-4	7632-00-0	231-555-9	01-2119471836-27	0.5 - 1%	Ox. Sol. 3: H272; Acute Tox. 3: H301; Aquatic Acute 1: H400;	

## SECTION 4: First aid measures

## 4.1. Description of first aid measures

Inhalation	Inhalation may cause coughing, tightness of the chest and irritation of the respiratory system.
------------	---

# Fill'n'Rub (Grey)

Revision 1

Revision date Sept 15

## 4.1. Description of first aid measures

Eye contact	Move the exposed person to fresh air. Seek medical attention. Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Seek medical attention if irritation or symptoms persist.
Skin contact	Wash off immediately with plenty of soap and water. Remove contaminated clothing. Seek medical attention if irritation or symptoms persist.
Ingestion	Ingestion may cause nausea and vomiting. Seek medical attention if irritation or symptoms persist. DO NOT INDUCE VOMITING.

## 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.
Eye contact	May cause irritation to eyes.
Skin contact	May cause irritation to skin.
Ingestion	Ingestion may cause nausea and vomiting.

## 4.3. Indication of any immediate medical attention and special treatment needed

	If you feel unwell, seek medical advice (show the label where possible).
--	--

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

	This product is not flammable. Use extinguishing media appropriate to the surrounding fire conditions.
--	--

### 5.2. Special hazards arising from the substance or mixture

	None.
--	-------

### 5.3. Advice for firefighters

	Wear suitable respiratory equipment when necessary.
--	---

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

	Avoid raising dust. Ensure adequate ventilation of the working area. Wear suitable protective equipment.
--	--

### 6.2. Environmental precautions

	Do not allow product to enter drains. Prevent further spillage if safe.
--	---

### 6.3. Methods and material for containment and cleaning up

	Clean the area using a vacuum cleaner. Transfer to suitable, labelled containers for disposal.
--	--

### 6.4. Reference to other sections

	See SECTION 8: Exposure controls/personal protection, SECTION 13: Disposal considerations for further information.
--	--

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

	Avoid contact with eyes and skin. Ensure adequate ventilation of the working area. Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	--

### 7.2. Conditions for safe storage, including any incompatibilities

	Keep in a cool, dry, well ventilated area. Keep containers tightly closed. Store in correctly labelled containers.
--	--

### 7.3. Specific end use(s)

	Not applicable.
--	-----------------

# Fill'n'Rub (Grey)

Revision 1  
Revision date Sept 15

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

**8.1.1. Exposure Limit Values**

Dolomite	WEL 8-hr limit ppm: WEL 15 min limit ppm: WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust:	WEL 8-hr limit mg/m3: 4 WEL 15 min limit mg/m3: WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust:
Fly Ash	WEL 8-hr limit ppm: - WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust:	WEL 8-hr limit mg/m3: 4 WEL 15 min limit mg/m3: - WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust:
Portland Cement Clinker	WEL 8-hr limit ppm: - WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total 10 inhalable dust: WEL 8-hr limit mg/m3 total 4 respirable dust:	WEL 8-hr limit mg/m3: - WEL 15 min limit mg/m3: - WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust:
Quartz Sand	WEL 8-hr limit ppm: - WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust:	WEL 8-hr limit mg/m3: 0.1 WEL 15 min limit mg/m3: - WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust:

**8.2. Exposure controls**

8.2.1. Appropriate engineering controls	Ensure adequate ventilation of the working area.
8.2.2. Individual protection measures	Wear chemical protective clothing.
Eye / face protection	Approved safety goggles.
Skin protection - Handprotection	Wear suitable gloves.
Respiratory protection	Wear suitable respiratory equipment.

## Fill'n'Rub (Grey)

Revision 1

Revision date Sept 15

**SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Appearance	Powder
Colour	Grey
Odour	Characteristic
Fat Solubility	Not determined
Partition coefficient	Not determined
pH	> 12
Melting point	Not applicable.
Freezing Point	Not applicable.
Initial boiling point	Not applicable.
Flash point	Not applicable.
Evaporation rate	Not applicable.
Flammability (solid, gas)	Not applicable.
Vapour pressure	Not applicable.
Vapour density	Not applicable.
Relative density	Not applicable.
Autoignition temperature	Not applicable.
Viscosity	Not applicable.
Explosive properties	Not applicable.
Oxidising properties	Not applicable.
Solubility	= Miscible in water

## 9.2. Other information

	Not applicable.
--	-----------------

**SECTION 10: Stability and reactivity**

## 10.1. Reactivity

	No data is available on this product.
--	---------------------------------------

## 10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

## 10.3. Possibility of hazardous reactions

	No Significant Hazard.
--	------------------------

## 10.4. Conditions to avoid

	Contact with strong acids will produce an exothermic reaction. Keep away from moisture.
--	---

## 10.5. Incompatible materials

	Strong acids.
--	---------------

## 10.6. Hazardous decomposition products

	None.
--	-------

**SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

	No data is available on this product.
--	---------------------------------------

## Fill'n'Rub (Grey)

Revision 1

Revision date Sept 15

## 11.1.4. Toxicological Information

No data available

## SECTION 12: Ecological information

## 12.1. Toxicity

No data available

## 12.2. Persistence and degradability

No data is available on this product.

## 12.3. Bioaccumulative potential

No data is available on this product.

## Partition coefficient

Fill'n'Rub (Grey)	Not determined	Quartz Sand	Not applicable.
Portland Cement Clinker	No data available	Dolomite	No data available
Fly Ash	No data available		

## 12.4. Mobility in soil

No data is available on this product.

## 12.5. Results of PBT and vPvB assessment

No data is available on this product.

## 12.6. Other adverse effects

No data is available on this product.

## SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

Dispose of in compliance with all local and national regulations.  
 EWC. 08 02 01 waste coating powders.  
 Disposal of packaging. 15 01 10\* packaging containing residues of or containing by dangerous substances.

## SECTION 14: Transport information

## 14.1. UN number

The product is not classified as dangerous for carriage.

## 14.2. UN proper shipping name

The product is not classified as dangerous for carriage.

## 14.3. Transport hazard class(es)

The product is not classified as dangerous for carriage.

## 14.4. Packing group

The product is not classified as dangerous for carriage.

## 14.5. Environmental hazards

The product is not classified as dangerous for carriage.

## 14.6. Special precautions for user

The product is not classified as dangerous for carriage.

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

The product is not classified as dangerous for carriage.

## Fill'n'Rub (Grey)

Revision 1

Revision date Sept 15

## Further information

	The product is not classified as dangerous for carriage.
--	--

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	<p>COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p> <p>REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p>
-------------	--

## 15.2. Chemical safety assessment

	Not applicable.
--	-----------------

## SECTION 16: Other information

## Other information

Revision	This document differs from the previous version in the following areas:. 2 - 2.1.2. Classification - EC 1272/2008. 2 - Signal Word. 2 - Precautionary Statement: Prevention. 2 - Precautionary Statement: Response. 2 - Precautionary Statement: Storage. 2 - Precautionary Statement: Disposal. 12 - 12.1. Toxicity.
Text of risk phrases in Section 3	R8 - Contact with combustible material may cause fire. R25 - Toxic if swallowed. R37/38 - Irritating to respiratory system and skin. R41 - Risk of serious damage to eyes. R43 - May cause sensitisation by skin contact. R50 - Very toxic to aquatic organisms.
Text of Hazard Statements in Section 3	EUH203 - Contains chromium (VI). May produce an allergic reaction. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Dam. 1: H318 - Causes serious eye damage. STOT SE 3: H335 - May cause respiratory irritation. Ox. Sol. 3: H272 - May intensify fire; oxidiser. Acute Tox. 3: H301 - Toxic if swallowed. Aquatic Acute 1: H400 - Very toxic to aquatic life.

## Further information

	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
--	--